

# RIGGING HARDWARE

钢丝绳和索具

## WIRE ROPE & RIGGING

QUALITY FIRST, COUSTOMERS FIRST

### Wire Rope 钢丝绳

#### WIRE ROPE 1X19



Aisi 304/316 Stainless Steel

Code	Dia. (mm)	kg / 100m
H01020	2	2.04
H01025	2.5	3.19
H01030	3	4.59
H01040	4	8.16
H01050	5	12.75
H01060	6	18.35
H01080	8	32.63
H01100	10	50.99
H01120	12	73.50

#### WIRE ROPE 7X7



AISI 304/316 Stainless Steel

Code	Dia. (mm)	kg / 100m
H02020	2	1.62
H02025	2.5	2.53
H02030	3	3.64
H02040	4	6.48
H02050	5	10.12
H02060	6	14.57
H02080	8	25.91
H02100	10	40.50
H02120	12	58.00


#### WIRE ROPE 7X19



AISI 304/316 Stainless Steel

Code	Dia. (mm)	kg / 100m
H03020	2	1.57
H03025	2.5	2.45
H03030	3	3.53
H03040	4	6.28
H03050	5	9.81
H03060	6	14.13
H03080	8	25.12
H03100	10	40.00
H03120	12	57.00

#### WIRE ROPE 7X7 COATED BY PLASTIC



AISI 304/316 Stainless Steel (PVC, NYLON, PP or PE)

Code	Dia. Of Rope mm
H04015	1.5
H04020	2
H04025	2.5
H04030	3
H04040	4
H04050	5
H04060	6
H04080	8

#### WIRE ROPE 7X19 COATED BY PLASTIC




AISI 304/316 Stainless Steel (PVC, NYLON, PP or PE)

Code	Dia. Of Rope mm
H05015	1.5
H05020	2
H05025	2.5
H05030	3
H05040	4
H05050	5
H05060	6
H05080	8

# RIGGING HARDWARE


## Shackle 卸扣

### AISI 304/316 STAINLESS STEEL EUROPEAN D SHACKLE




Code	Size mm	A mm	B mm	C mm	D mm	Wll lbs
H-0901-0004	4	4	4	8	16	150
H-0901-0005	5	5	5	10	20	240
H-0901-0006	6	6	6	12	24	340
H-0901-0008	8	8	8	16	32	600
H-0901-0010	10	10	10	20	40	750
H-0901-0012	12	12	12	24	48	1000
H-0901-0014	14	14	14	28	56	1350
H-0901-0016	16	16	16	32	64	2000
H-0901-0018	18	18	18	36	72	2750
H-0901-0020	20	20	20	40	80	3000
H-0901-0022	22	22	22	44	88	3600
H-0901-0025	25	25	25	50	100	4500

### AISI 304/316 STAINLESS STEEL EUROPEAN BOW SHACKLE




Code	Size mm	A mm	B mm	C mm	D mm	Wll lbs
H-0902-0004	4	4	4	8	116	150
H-0902-0005	5	5	5	10	20	240
H-0902-0006	6	6	6	12	24	340
H-0902-0008	8	8	8	16	32	600
H-0902-0010	10	10	10	20	40	750
H-0902-0012	12	12	12	24	48	1000
H-0902-0014	14	14	14	28	56	1350
H-0902-0016	16	16	16	32	64	2000
H-0902-0018	18	18	18	36	72	2750
H-0902-0020	20	20	20	40	80	3000
H-0902-0022	22	22	22	44	88	3600
H-0902-0025	25	25	25	50	100	4500

### AISI 304/316 STAINLESS STEEL LONG D SHACKLE



Code	Size mm	A mm	B mm	C mm	D mm	Wll lbs
H-0903-0004	4	4	4	8	32	150
H-0903-0005	5	5	5	10	40	240
H-0903-0006	6	6	6	12	48	340
H-0903-0008	8	8	8	16	64	600
H-0903-0010	10	10	10	20	80	750
H-0903-0012	12	12	12	24	96	1000
H-0903-0014	14	14	14	28	112	1350
H-0903-0016	16	16	16	32	128	2000
H-0903-0018	18	18	18	36	144	2750
H-0903-0020	20	20	20	40	160	3000
H-0903-0022	22	22	22	44	176	3600


### AISI 304/316 STAINLESS STEEL TWIST SHACKLE



Code	Size mm	B mm	C mm	D mm
H-0904-0004	4	4	8	24
H-0904-0005	5	5	10	30
H-0904-0006	6	6	12	36
H-0904-0008	8	8	16	48
H-0904-0010	10	10	20	60
H-0904-0012	12	12	24	72


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL WIDE D SHACKLE




Code	Size mm	A mm	B mm	C mm	D mm	Wll lbs
H-0905-0005	5	5	5	25	22.5	230
H-0905-0006	6	6	6	24	36	350
H-0905-0008	8	8	8	28	36	600
H-0905-0010	10	10	10	40	60	680
H-0905-0012	12	12	12	48	72	1000

## AISI 304/316 STAINLESS STEEL CHAIN SHACKLE US TYPE




Code	Size inch	A inch	B inch	C inch	D inch	Wll lbs
H-0906-0005	3/16"	3/16"	1/4"	0.38"	0.75"	300
H-0906-0006	1/4"	1/4"	5/16"	0.47"	0.88"	450
H-0906-0008	5/16"	5/16"	3/8"	0.53"	1.03"	650
H-0906-0010	3/8"	3/8"	7/16"	0.66"	1.25"	1000
H-0906-0011	7/16"	7/16"	1/2"	0.75"	1.44"	1500
H-0906-0012	1/2"	1/2"	5/8"	0.81"	1.63"	2200
H-0906-0016	5/8"	5/8"	3/4"	1.05"	2"	3000
H-0906-0019	3/4"	3/4"	7/8"	1.25"	2.38"	4500
H-0906-0022	7/8"	7/8"	1"	1.44"	2.81"	6000
H-0906-0025	1"	1"	1-1/8"	1.69"	3.19"	8000
H-0906-0028	1-1/8"	1-1/8"	1-1/4"	1.81"	3.58"	10500

## AISI 304/316 STAINLESS STEEL BOLT CHAIN SHACKLE US TYPE




Code	Size inch	A inch	B inch	C inch	D inch	Wll lbs
H-0907-0005	3/16"	3/16"	1/4"	0.38"	0.75"	300
H-0907-0006	1/4"	1/4"	5/16"	0.47"	0.88"	450
H-0907-0008	5/16"	5/16"	3/8"	0.53"	1.03"	650
H-0907-0010	3/8"	3/8"	7/16"	0.66"	1.25"	1000
H-0907-0011	7/16"	7/16"	1/2"	0.75"	1.44"	1500
H-0907-0012	1/2"	1/2"	5/8"	0.81"	1.63"	2200
H-0907-0016	5/8"	5/8"	3/4"	1.05"	2"	3000
H-0907-0019	3/4"	3/4"	7/8"	1.25"	2.38"	4500
H-0907-0022	7/8"	7/8"	1"	1.44"	2.81"	6000
H-0907-0025	1"	1"	1-1/8"	1.69"	3.19"	8000
H-0907-0028	1-1/8"	1-1/8"	1-1/4"	1.81"	3.58"	10500

## AISI 304/316 STAINLESS STEEL ANCHOR SHACKLE US TYPE



Code	Size inch	A inch	B inch	C inch	D inch	Wll lbs
H-0908-0005	33/16"	3/16"	1/4"	0.38"	0.88"	300
H-0908-0006	1/4"	1/4"	5/16"	0.47"	1.13"	450
H-0908-0008	5/16"	5/16"	3/8"	0.53"	1.22"	650
H-0908-0010	3/8"	3/8"	7/16"	0.66"	1.44"	1000
H-0908-0011	7/16"	7/16"	1/2"	0.75"	1.69"	1500
H-0908-0012	1/2"	1/2"	5/8"	0.81"	1.88"	2200
H-0908-0016	5/8"	5/8"	3/4"	1.05"	2.38"	3000
H-0908-0019	3/4"	3/4"	7/8"	1.25"	2.81"	4500
H-0908-0022	7/8"	7/8"	1"	1.44"	3.31"	6000
H-0908-0025	1"	1"	1-1/8"	1.69"	3.75"	8000
H-0908-0028	1-1/8"	1-1/8"	1-1/4"	1.81"	4.25"	10500

## AISI 304/316 STAINLESS STEEL BOLT ANCHOR SHACKLE US TYPE




Code	Size inch	A inch	B inch	C inch	D inch	Wll lbs
H-0909-0005	3/16"	3/16"	1/4"	0.38"	0.88"	300
H-0909-0006	1/4"	1/4"	5/16"	0.47"	1.13"	450
H-0909-0008	5/16"	5/16"	3/8"	0.53"	1.22"	650
H-0909-0010	3/8"	3/8"	7/16"	0.66"	1.44"	1000
H-0909-0011	7/16"	7/16"	1/2"	0.75"	1.69"	1500
H-0909-0012	1/2"	1/2"	5/8"	0.81"	1.88"	2200
H-0909-0016	5/8"	5/8"	3/4"	1.05"	2.38"	3000
H-0909-0019	3/4"	3/4"	7/8"	1.25"	2.81"	4500
H-0909-0022	7/8"	7/8"	1"	1.44"	3.31"	6000
H-0909-0025	1"	1"	1-1/8"	1.69"	3.75"	8000
H-0909-0028	1-1/8"	1-1/8"	1-1/4"	1.81"	4.25"	10500

# RIGGING HARDWARE


## Swivel 旋转环

AISI 304/316 STAINLESS STEEL SWIVEL EYE & EYE




Code	Size(mm)	D(mm)	B(mm)	H(mm)	L(mm)	WLL(lbs)
H-0910-0005	5	5	13	13	59	300
H-0910-0006	6	6	14	14	65	600
H-0910-0008	8	8	19	19	92	1100
H-0910-0010	10	10	22	25	117	1540
H-0910-0013	13	13	32	33	152	2640
H-0910-0016	16	16	38	41	187	4750
H-0910-0019	19	19	41	51	216	7000
H-0910-0022	22	22	47	51	235	8000
H-0910-0025	25	25	64	65	279	10000

AISI 304/316 STAINLESS STEEL SWIVEL JAW & EYE



Code	Size(mm)	D(mm)	B(mm)	H(mm)	L(mm)	WLL(lbs)
H-0911-0006	6	13	13	11	67	600
H-0911-0008	8	16	16	16	92	1100
H-0911-0010	10	19	19	22	117	1540
H-0911-0013	13	25	25	28	152	2640
H-0911-0016	16	32	32	35	187	4750
H-0911-0019	19	38	38	41	218	7000

AISI 304/316 STAINLESS STEEL SWIVEL JAW & JAW



Code	Size(mm)	D(mm)	B(mm)	H(mm)	L(mm)	WLL(lbs)
H-0912-0006	6	13	13	11	67	600
H-0912-0008	8	16	16	16	92	1100
H-0912-0010	10	19	19	22	117	1540
H-0912-0013	13	25	25	28	152	2640
H-0912-0016	16	32	32	35	187	4750
H-0912-0019	19	38	38	41	218	7000

## Rigging Screw & Turnbuckle 花兰

AISI 304/316 STAINLESS STEEL RIGGING SCREW FORK & FORK



Code	Thread Size	A mm	D mm	H mm	L1 mm	L2 mm	KG /100	B.L. KG.
H-0101-0004	M4	5.5	4	8	110	170	3.6	500
H-A0101-0005	M5	6.5	5	10	130	190	5.6	800
H-B0101-0005	M5	7.5	5	9	130	190	4.7	800
H-A0101-0006	M6	7.5	6	10	150	220	8.6	1300
H-B0101-0006	M6	8	6	10	150	220	8.3	1250
H-0101-0008	M8	11	8	11	165	240	15.5	2350
H-0101-0010	M10	12	9	14	190	280	28	3500
H-0101-0012	M12	14	12	20	245	360	53	5100
H-0101-0014	M14	15	12	22	270	390	64.5	5900
H-0101-0016	M16	17	16	26	310	450	118	8000
H-0101-0020	M20	20	19	30	360	510	203	13000
H-0101-0022	M22	30	22	46.5	472	653	448	17000
H-0101-0024	M24	30	25	49	520	750	638	20000
H-0101-0027	M27	34	28	54	595	830	752	27000
H-0101-0030	M30	40	32	62	660	915	948	31000
H-0101-0036	M36	44	36	70	730	1000	1366	43000


AISI 304/316 STAINLESS STEEL RIGGING SCREW FORK & TERMINAL



Code	Thread Size	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	KG/100	B.L. KG.
H-0102-0402	M4	2	5.5	4	8	2.2	4.8	24	125	150	3.3	500
H-0102-0502	M5	2	6.5	5	10	2.2	5.5	32	155	215	5	800
H-0102-0525	M5	2.5	6.5	5	10	2.7	5.5	32	155	215	5	800
H-B0102-0532	M5	3.2	6.5	5	10	3.5	6.35	39	160	220	4.6	800
H-0102-0603	M6	3	7.5	6	10	3.3	6.35	39	175	245	8	1250
H-0102-0632	M6	3.2	7.5	6	10	3.5	6.35	39	175	245	8	1250
H-0102-0604	M6	4	7.5	6	10	4.3	7.5	45	185	255	8.5	1250
H-0102-0804	M8	4	11	8	11	4.3	7.5	45	200	275	14	1300
H-0102-0805	M8	5	11	8	11	5.3	9	52	205	280	15	2350
H-0102-1005	M10	5	12	9	14	5.3	9	52	230	320	25.5	2350
H-0102-1006	M10	6	12	9	14	6.4	12.6	64	245	335	29.5	3500
H-0102-1206	M12	6	14	12	20	6.4	12.6	64	285	400	49	5100
H-0102-1208	M12	8	14	12	20	8.4	16	80	305	420	54.5	5100
H-0102-1407	M14	7	15	12	22	7.4	14.2	70	315	435	58	5900
H-0102-1608	M16	8	17	16	26	8.4	16	80	360	500	108	8000
H-0102-1610	M16	10	17	16	26	10.5	18	90	370	510	112	8000
H-0102-2010	M20	10	20	19	30	10.5	18	90	410	560	172	13000
H-0102-2012	M20	12	23	19	35	12.6	20	105	430	580	180	13000
H-0102-2214	M22	14	30	22	46.5	14.7	25	140	545	715	452	17000
H-0102-2416	M24	16	30	25	49	16.9	28	160	625	855	662	20000
H-0102-2719	M27	19	34	28	54	20	34.5	200	735	970	752	27000
H-0102-3022	M30	22	40	32	62	23.2	40.5	230	825	1080	948	31000
H-0102-3626	M36	26	44	36	70	27.5	46	280	930	1200	1366	43000


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL RIGGING SCREW TERMINAL & TERMINAL




Code	Thread Size	Wiremm	D1mm	D2mm	L3mm	L1mm	L2mm	KG/100	B.L.	KG.
H-0103-0402	M4	2	2.2	4.8	24	145	197	2.3	500kg	
H-0103-0502	M5	2	2.2	5.5	32	178	238	4	800	
H-0103-0525	M5	2.5	2.7	5.5	32	178	238	4	800	
H-0103-0532	M5	3.2	3.5	6.35	39	184	244	4.5	800	
H-0103-0603	M6	3	3.3	6.35	39	204	274	7	1250	
H-0103-0632	M6	3.2	3.5	6.35	39	204	274	7	1250	
H-0103-0604	M6	4	4.3	7.5	45	224	294	7.8	1250	
H-0103-0804	M8	4	4.3	7.5	45	235	305	12	2350	
H-0103-0805	M8	5	5.3	9	52	249	319	13.5	2350	
H-0103-1005	M10	5	5.3	9	52	270	355	22.5	3500	
H-0103-1006	M10	6	6.4	12.6	64	300	385	30	3500	
H-0103-1206	M12	6	6.4	12.6	64	330	445	43	5100	
H-0103-1208	M12	8	8.4	16	80	370	480	55	5100	
H-0103-1407	M14	7	7.4	14.2	70	365	485	57	5900	
H-0103-1608	M16	8	8.4	16	80	418	548	92	8000	
H-0103-1610	M16	10	10.5	18	90	438	568	100	8000	
H-0103-2010	M20	10	10.5	18	90	465	620	145	13000	
H-0103-2012	M20	12	12.6	20	105	495	650	151	13000	
H-0103-2214	M22	14	14.7	25	140	645	820	378	17000	
H-0103-2416	M24	16	16.9	28	160	745	980	553	20000	
H-0103-2719	M27	19	20	34.5	200	880	1115	801	27000	
H-0103-3022	M30	22	23.2	40.5	230	985	1240	1179	31000	
H-0103-3626	M36	26	27.5	46	280	1130	1400	1589	43000	

## AISI 304/316 STAINLESS STEEL RIGGING SCREW MACHINED FORK & FORK




Code	Thread Size	A mm	D mm	H mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-0104-0004	M4	5.5	4	8	115	175	4	500	
H-0104-0005	M5	6.5	5	10	135	195	6	800	
H-0104-0006	M6	7.5	6	10	160	230	10.5	1250	
H-0104-0008	M8	11	8	11	180	255	21	2350	
H-0104-0010	M10	12	9	14	210	300	35.5	3500	
H-0104-0012	M12	14	12	20	270	380	66	5100	
H-0104-0014	M14	15	12	22	295	415	74	5900	
H-0104-0016	M16	17	16	26	340	480	150	8000	
H-0104-0020	M20	20	19	30	370	520	320	13000	
H-0104-0022	M22	22	22	35	455	635	850	17000	
H-0104-0024	M24	25	25	38	530	760	1150	20000	
H-0104-0027	M27	30	28	41	580	810	1800	25500	
H-0104-0030	M30	35	32	52	655	915	2610	31000	
H-0104-0036	M36	35	35	52	695	970	3340	43000	

## AISI 304/316 STAINLESS STEEL RIGGING SCREW MACHINED FORK & TERMINAL



Code	Thread Size	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-0105-0402	M4	2	5.5	4	8	2.2	4.8	24	130	190	3	500	
H-0105-0502	M5	2	6.5	5	10	2.2	5.5	32	150	210	5	800	
H-0105-0525	M5	2.5	6.5	5	10	2.7	5.5	32	150	210	5	800	
H-0105-0603	M6	3	7.5	6	10	3.3	6.35	39	180	250	8.5	1250	
H-0105-0604	M6	4	7.5	6	10	4.3	7.5	45	190	260	9.5	1250	
H-0105-0804	M8	4	11	8	11	4.3	7.5	45	210	285	16	2350	
H-0105-0805	M8	5	11	8	11	5.3	9	52	215	290	16.5	2350	
H-0105-1005	M10	5	12	9	14	5.3	9	52	240	330	28	3500	
H-0105-1006	M10	6	12	9	14	6.4	12.6	64	255	345	31.5	3500	
H-0105-1206	M12	6	14	12	20	6.4	12.6	64	300	410	55	5100	
H-0105-1208	M12	8	14	12	20	8.4	16	80	320	430	61	5100	
H-0105-1407	M14	7	15	12	22	7.4	14.2	70	330	450	68	5900	
H-0105-1608	M16	8	17	16	26	8.4	16	80	370	510	120	8000	
H-0105-1610	M16	10	17	16	26	10.5	18	90	380	520	124	8000	
H-0105-2010	M20	10	20	19	30	10.5	18	90	410	560	237	13000	
H-0105-2012	M20	12	20	19	30	12.6	20	105	425	575	242	13000	
H-0105-2214	M22	14	22	22	35	14.7	25	140	540	720	565	17000	
H-0105-2416	M24	16	25	25	38	16.9	28	160	630	860	620	20000	
H-0105-2719	M27	19	30	28	41	20	34.5	200	720	950	1185	25500	
H-0105-3022	M30	22	35	32	52	23.2	40.5	230	820	1080	1675	31000	
H-0105-3626	M36	26	35	35	52	27.5	46	280	910	1185	2242	43000	


## AISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & TOGGLE----T STYLE



Code	Thread Size	A mm	D mm	H mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-A0106-0006	M6	7	6	15	160	230	10	1250	
H-A0106-0008	M8	10	8	20	190	265	18	2350	
H-A0106-0010	M10	12	9	25	230	320	37.5	3500	
H-A0106-0012	M12	13	12	30	280	390	63	5100	
H-A0106-0016	M16	17	16	40	370	510	137	8000	
H-A0106-0020	M20	20	19	45	430	570	223	13000	


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & TOGGLE---EYE STYLE




Code	Thread Size	A mm	Dmm	Hmm	L1mm	L2mm	KG/100	B.L.	KG.
H-B0106-0006	M6	8	6	13	195	265	10	1250	
H-B0106-0008	M8	10	8	16	245	315	18	2350	
H-B0106-0010	M10	12	9	20	290	350	37.5	3500	
H-B0106-0012	M12	18	12	25	350	455	63	5100	
H-B0106-0016	M16	17	16	29	455	585	137	8000	
H-B0106-0020	M20	20	19	30	515	665	223	13000	
H-B0106-0022	M22	26	22	35	605	785	452	17000	
H-B0106-0024	M24	29	25	40	715	945	662	20000	
H-B0106-0027	M27	34	28	46	790	1025	751	25500	
H-B0106-0030	M30	40	32	54	875	1135	948	31000	
H-B0106-0036	M36	44	36	62	960	1230	1366	43000	

## AISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & TERMINAL---T STYLE




Code	Thread Size	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-A0107-0603	M6	3	7	6	15	3.3	6.35	39	180	250	8.5	1250	
H-A0107-0604	M6	4	7	6	15	4.3	7.5	45	190	260	9	1250	
H-A0107-0804	M8	4	10	8	20	4.3	7.5	45	210	285	16	2350	
H-A0107-0805	M8	5	10	8	20	5.3	9	52	215	290	16.5	2350	
H-A0107-1005	M10	5	12	9	25	5.3	9	52	250	340	31	3500	
H-A0107-1006	M10	6	12	9	25	6.4	12.6	64	265	355	35	3500	
H-A0107-1206	M12	6	13	12	30	6.4	12.6	64	300	410	54	5100	
H-A0107-1208	M12	8	13	12	30	8.4	16	80	320	430	60	5100	
H-A0107-1608	M16	8	17	16	40	8.4	16	80	390	530	108	8000	
H-A0107-1610	M16	10	17	16	40	10.5	18	90	400	540	111	8000	
H-A0107-2010	M20	10	20	19	45	10.5	18	90	450	590	172	13000	
H-A0107-2012	M20	12	20	19	45	12.6	20	105	465	605	180	13000	

## AISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & TERMINAL---EYE STYLE




Code	Thread Size	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	D3 mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-B0107-0603	M6	3	8	6	13	3.3	6.35	39	200	270	8.5	1250	
H-B0107-0604	M6	4	8	6	13	4.3	7.5	45	210	280	9	1250	
H-B0107-0804	M8	4	10	8	16	4.3	7.5	45	240	310	16	2350	
H-B0107-0805	M8	5	10	8	16	5.3	9	52	250	320	16.5	2350	
H-B0107-1005	M10	5	12	9	20	5.3	9	52	280	360	31	3500	
H-B0107-1006	M10	6	12	9	20	6.4	12.6	64	295	375	35	3500	
H-B0107-1206	M12	6	18	12	25	6.4	12.6	64	340	445	54	5100	
H-B0107-1208	M12	8	18	12	25	8.4	16	80	360	465	60	5100	
H-B0107-1608	M16	8	20	16	29	8.4	16	80	435	565	108	8000	
H-B0107-1610	M16	10	20	16	29	10.5	18	90	445	575	111	8000	
H-B0107-2010	M20	10	24	19	30	10.5	18	90	490	640	172	13000	
H-B0107-2012	M20	12	24	19	30	12.6	20	105	505	655	180	13000	
H-B0107-2214	M22	14	26	22	35	14.7	25	140	625	805	452	17000	
H-B0107-2416	M24	16	29	25	40	16.9	28	160	730	960	662	20000	
H-B0107-2719	M27	19	34	28	46	20	34.5	200	835	1070	751	25500	
H-B0107-3022	M30	22	40	32	54	23.2	40.5	230	930	1190	948	31000	
H-B0107-3626	M36	26	44	36	62	27.5	46	280	1045	1315	1366	43000	

## AISI 304/316 STAINLESS STEEL RIGGING SCREW TOGGLE & FORK---T STYLE



Code	Thread Size	A mm	D mm	H mm	A1 mm	D1 mm	H1 mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-A0108-0006	M6	7.5	6	10	7	6	15	160	230	8	1250	
H-A0108-0008	M8	11	8	11	10	8	20	180	255	15.5	2350	
H-A0108-0010	M10	12	9	14	12	9	25	210	300	28	3500	
H-A0108-0012	M12	14	12	20	13	12	30	265	375	53	5100	
H-A0108-0016	M16	17	16	26	17	16	40	340	480	117	8000	
H-A0108-0020	M20	20	19	30	20	19	45	395	535	203	13000	


## AISI 316 STAINLESS STEEL RIGGING SCREW TOGGLE & FORK---EYE STYLE



Code	Thread Size	A mm	D mm	H mm	A1 mm	D1 mm	H1 mm	L1 mm	L2 mm	KG/100	B.L.	KG.
H-B0108-0006	M6	7.5	6	10	8	6	13	175	245	8	1250	
H-B0108-0008	M8	11	8	11	10	8	16	205	280	15.5	2350	
H-B0108-0010	M10	12	9	14	12	9	20	240	330	28	3500	
H-B0108-0012	M12	14	12	20	18	12	25	300	405	53	5100	
H-B0108-0016	M16	17	16	26	17	16	29	380	520	117	8000	
H-B0108-0020	M20	20	19	30	20	19	30	435	575	203	13000	
H-B0108-0022	M22	30	22	46.5	26	22	35	540	720	452	17000	
H-B0108-0024	M24	30	25	49	29	25	40	620	845	662	20000	
H-B0108-0027	M27	34	28	54	34	28	46	695	930	751	25500	
H-B0108-0030	M30	40	32	62	40	32	54	765	1020	948	31000	
H-B0108-0036	M36	44	36	70	44	36	62	845	1115	1365	43000	


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL EUROPEAN TYPE TURNBUCKLE HOOK & EYE




Code	Size	L mm	L1 mm	S mm	Weight kg	Wll kg
H-0803-0005	5	70	120	8	0.05	40
H-0803-0006	6	90	150	9	0.08	80
H-0803-0008	8	120	200	11	0.17	140
H-0803-0010	10	150	240	12	0.28	220
H-0803-0012	12	200	310	14	0.52	300
H-0803-0016	16	250	390	16	1.2	600
H-0803-0020	20	300	440	18	2.15	900

## AISI 304/316 STAINLESS STEEL EUROPEAN TYPE TURNBUCKLE JAW & JAW




Code	Size	L mm	L1 mm	A mm	H mm	Weight kg	Wll kg
H-0804-0005	5	70	120	6.5	10	0.05	40
H-0804-0006	6	90	140	7.5	10	0.08	80
H-0804-0008	8	120	180	11	11	0.17	140
H-0804-0010	10	150	220	12	14	0.28	220
H-0804-0012	12	200	300	14	20	0.52	300
H-0804-0016	16	250	375	17	26	1.2	600
H-0804-0020	20	300	450	20	30	2.15	900

## AISI 304/316 STAINLESS STEEL DIN1480 TURNBUCKLE HOOK & HOOK




Code	Size	L mm	L1 mm	S mm	Weight kg	Wll kg
H-0805-0005	5	90	140	7	0.05	40
H-0805-0006	6	110	170	9	0.08	80
H-0805-0008	8	110	180	10	0.17	140
H-0805-0010	10	125	210	11	0.28	220
H-0805-0012	12	125	240	14	0.52	300
H-0805-0016	16	170	320	18	1.2	600
H-0805-0020	20	200	370	20	2.15	900

## AISI 304/316 STAINLESS STEEL DIN1480 TURNBUCKLE EYE & EYE




Code	Size	L mm	L1 mm	A mm	Weight kg	Wll kg
H-0806-0005	5	90	140	8	0.05	40
H-0806-0006	6	110	170	10	0.08	80
H-0806-0008	8	110	180	12	0.17	140
H-0806-0010	10	125	210	14	0.28	220
H-0806-0012	12	125	240	18	0.52	300
H-0806-0016	16	170	320	22	1.2	600
H-0806-0020	20	200	370	25	2.15	900

## AISI 304/316 STAINLESS STEEL DIN1480 TURNBUCKLE EYE & HOOK



Code	Size	L mm	L1 mm	S mm	A mm	Weight kg	Wll kg
H-0807-0005	5	90	140	7	8	0.05	40
H-0807-0006	6	110	170	9	10	0.08	80
H-0807-0008	8	110	180	10	12	0.17	140
H-0807-0010	10	125	210	11	14	0.28	220
H-0807-0012	12	125	240	14	18	0.52	300
H-0807-0016	16	170	320	18	22	1.2	600
H-0807-0020	20	200	370	20	25	2.15	900


## AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE JAW & JAW



Code	Size(A)	L inch	L1 inch	D inch	E inch	WT lbs	Wll lbs
H-0808-0006	1/4"	4"	7.75"	0.25"	0.44"	0.45	500
H-0808-0008	5/16"	4.5"	9"	0.25"	0.50"	0.65	800
H-0808-0010	3/8"	6"	10.63"	0.31"	0.56"	0.9	1200
H-0808-0012	1/2"	6"	12"	0.38"	0.63"	1.6	2200
H-0808-0016	5/8"	6"	13.5"	0.50"	0.75"	3.05	3500
H-0808-0020	3/4"	6"	15"	0.63"	1"	4.25	5200
H-0808-0025	1"	6"	18"	0.88"	1.25"	10.59	8000
H-0808-0026	1-1/4"	12"	26.63"	1.13"	1.88"	22.32	12500


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL RIGGING SCREW EYE & EYE




Code	Thread Size	Amm	Bmm	Dmm	L1mm	L2mm	KG/100	B.L	KG.
H-0109-0005	M5	3	12	5.5	130	190	4	800	
H-0109-0006	M6	4	14	6.5	140	210	11	1300	
H-0109-0008	M8	5	17	8.5	160	235	14	2350	
H-0109-0010	M10	6	22	10.5	190	280	23	3500	
H-0109-0012	M12	8	25	13	225	340	38	5100	
H-0109-0014	M14	9	28	13	250	370	51	5900	
H-0109-0016	M16	10	31	14.5	275	415	73	8000	
H-0109-0020	M20	15	40	19.5	330	480	105	13000	
H-0109-0022	M22	18	47	23	416	597	354	17000	
H-0109-0024	M24	20	53	26	480	713	670	20000	
H-0109-0027	M27	25	65	28.5	527	759	710	27000	
H-0109-0030	M30	30	70	33	581	861	991	31000	
H-0109-0036	M36	30	80	36	618	892	1288	43000	

## AISI 304/316 STAINLESS STEEL RIGGING SCREW EYE & TERMINAL




Code	Thread Size	Wire mm	D mm	D1 mm	D2 mm	L3 mm	L1 mm	L2 mm	KG/100	B.L	KG.
H-0110-0502	M5	2	5.5	2.2	5.5	32	155	215	5.3	800	
H-0110-0525	M5	2.5	5.5	2.7	5.5	32	155	215	5.3	800	
H-0110-0603	M6	3	6.5	3.3	6.35	39	175	245	13	1300	
H-0110-0604	M6	4	6.5	4.3	7.5	45	185	255	13.5	1300	
H-0110-0804	M8	4	8.5	4.3	7.5	45	200	275	17.5	2350	
H-0110-0805	M8	5	8.5	5.3	9	52	205	280	18.3	2350	
H-0110-1005	M10	5	10.5	5.3	9	52	230	320	29	3500	
H-0110-1006	M10	6	10.5	6.4	12.6	64	245	335	33	3500	
H-0110-1206	M12	6	13	6.4	12.6	64	280	395	50.5	5400	
H-0110-1208	M12	8	13	8.4	16	80	300	415	56.5	5400	
H-0110-1407	M14	7	13	7.4	14.2	70	310	430	69	5600	
H-0110-1608	M16	8	14.5	8.4	16	80	345	485	100	7600	
H-0110-1610	M16	10	14.5	10.5	18	90	355	495	104	7600	
H-0110-2010	M20	10	19.5	10.5	18	90	400	550	146	13000	
H-0110-2012	M20	12	19.5	12.6	20	105	415	565	148	13000	
H-0110-2214	M22	14	23	14.7	25	140	527	708	485	17000	
H-0110-2416	M24	16	26	16.9	28	160	613	846	871	20000	
H-0110-2719	M27	19	28.5	20	34.5	200	702	934	989	27000	
H-0110-3022	M30	22	33	23.2	40.5	230	777	1057	1463	31000	
H-0110-3626	M36	26	36	27.5	46	280	873	1150	1884	43000	

## AISI 304/316 STAINLESS STEEL RIGGING SCREW EYE & FORK




Code	Thread Size	Amm	Dmm	Hmm	Bmm	B1mm	L1mm	L2mm	KG/100	B.L	KG.
H-0111-0005	M5	6.5	5	10	3	12	130	190	4.2	800	
H-0111-0006	M6	7.5	6	10	4	14	145	215	6.3	1250	
H-0111-0008	M8	11	8	11	5	17	165	240	13	2350	
H-0111-0010	M10	12	9	14	6	22	190	280	22	3500	
H-0111-0012	M12	14	12	20	8	25	235	350	44	5100	
H-0111-0014	M14	15	12	22	9	28	260	380	60	5900	
H-0111-0016	M16	17	16	26	10	31	295	435	85.5	8000	
H-0111-0020	M20	20	19	30	15	40	345	495	169	13000	
H-0111-0022	M22	30	22	46.5	18	47	445	625	398	17000	
H-0111-0024	M24	30	25	49	20	53	508	740	580	20000	
H-0111-0027	M27	34	28	54	25	65	565	800	710	25500	
H-0111-0030	M30	40	32	62	30	70	620	875	991	31000	
H-0111-0036	M36	44	36	70	30	80	675	945	1288	43000	

## AISI 304/316 STAINLESS STEEL EUROPEAN TYPE TURNBUCKLE HOOK & HOOK



Code	Size	L mm	L1 mm	S mm	Weight kg	Wll kg
H-0801-0005	5	70	120	8	0.05	40
H-0801-0006	6	90	150	9	0.08	80
H-0801-0008	8	120	200	11	0.17	140
H-0801-0010	10	150	240	12	0.28	220
H-0801-0012	12	200	310	14	0.52	300
H-0801-0016	16	250	390	16	1.2	600
H-0801-0020	20	300	440	18	2.15	900

## AISI 304/316 STAINLESS STEEL EUROPEAN TYPE TURNBUCKLE EYE & EYE




Code	Size	L mm	L1 mm	S mm	Weight kg	Wll kg
H-0802-0005	5	70	120	8	0.05	40
H-0802-0006	6	90	150	10	0.08	80
H-0802-0008	8	120	200	14	0.17	140
H-0802-0010	10	150	240	16	0.28	220
H-0802-0012	12	200	310	18	0.52	300
H-0802-0016	16	250	390	25	1.2	600
H-0802-0020	20	300	440	30	2.15	900




# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE EYE & EYE




Code	Size(A)	L inch	L1 inch	D inch	Wt lbs	Wll lbs
H-0809-0006	1/4"	4"	8"	0.33"	0.3	500
H-0809-0008	5/16"	4.5"	9.25"	0.41"	0.5	800
H-0809-0010	3/8"	6"	11.5"	0.50"	0.85	1200
H-0809-0012	1/2"	6"	13"	0.75"	1.3	2200
H-0809-0016	5/8"	6"	14.5"	0.87"	2.3	3500
H-0809-0020	3/4"	6"	16.25"	1"	3.5	5200
H-0809-0025	1"	6"	20"	1.38"	8.85	8000
H-0809-0032	1-1/4"	12"	28.38"	1.71"	17.6	12500

## AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE HOOK & HOOK




Code	Size(A)	L inch	L1 inch	D inch	Wt lbs	Wll lbs
H-0810-0006	1/4"	4"	6.87"	0.39"	0.22	300
H-0810-0008	5/16"	4.5"	7.75"	0.44"	0.35	500
H-0810-0010	3/8"	6"	10.37"	0.52"	0.6	750
H-0810-0012	1/2"	6"	10.50"	0.55"	1.1	1050
H-0810-0016	5/8"	6"	14.25"	0.57"	1.9	1600
H-0810-0020	3/4"	6"	14.25"	0.90"	2.75	2000

## AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE EYE & HOOK




Code	Size(A)	L inch	L1 inch	D inch	E inch	Wt lbs	Wll lbs
H-0811-0006	1/4"	4"	7.5"	0.33"	0.39"	0.25	300
H-0811-0008	5/16"	4.5"	8.5"	0.41"	0.44"	0.45	500
H-0811-0010	3/8"	6"	10.75"	0.51"	0.52"	0.67	750
H-0811-0012	1/2"	6"	12"	0.75"	0.55"	1	1050
H-0811-0016	5/8"	6"	13.5"	0.87"	0.57"	2	1600
H-0811-0020	3/4"	6"	15.5"	1"	0.9"	3	2000

## AISI 304/316 STAINLESS STEEL US TYPE TURNBUCKLE EYE & JAW




Code	Size(A)	L inch	L1 inch	D inch	E inch	Wt lbs	Wll lbs
H-0812-0006	1/4"	4"	7.88"	0.33"	0.44"	0.35	500
H-0812-0008	5/16"	4.5"	9.25"	0.41"	0.50"	0.6	800
H-0812-0010	3/8"	6"	11"	0.50"	0.56"	0.9	1200
H-0812-0012	1/2"	6"	12.5"	0.75"	0.63"	1	2200
H-0812-0016	5/8"	6"	14"	0.87"	0.75"	2	3500
H-0812-0020	3/4"	6"	15.63"	1"	1"	4	5200
H-0812-0025	1"	6"	19"	1.38"	1.25"	9.66	8000
H-0812-0032	1-1/4"	12"	27.5"	1.71"	1.88"	19.96	12000

## AISI 304/316 STAINLESS STEEL RIGGING SCREW BODY



Code	Size M	D mm	L mm	Kg/100	B.L.KG.
H-0201-0004	M4	7	70	1.1	500
H-0201-0005	M5	8	80	1.5	800
H-0201-0006	M6	11	95	3.2	1300
H-0201-0008	M8	13	105	5	2350
H-0201-0010	M10	17	125	11	3500
H-0201-0012	M12	21	150	17.5	5400
H-0201-0014	M14	21	165	21	5900
H-0201-0016	M16	26.5	190	38	8000
H-0201-0020	M20	33.5	210	64	13000
H-0201-0022	M22	40	273	117	17000
H-0201-0024	M24	42.4	320	150	20000
H-0201-0027	M27	55	345	243	25500
H-0201-0030	M30	55	380	234	31000
H-0201-0036	M36	64	410	396	43000

## AISI 304/316 STAINLESS RIGGING SCREW BODY (INCH SIZE)



Code	Size M	D mm	L mm	Kg/100	B.L.KG.
H-0202-0006	1/4"	11	92	3	1300
H-0202-0008	5/16"	13	112	6	2350
H-0202-0010	3/8"	17	120	11	3500
H-0202-0012	1/2"	21	150	18	5400
H-0202-0016	5/8"	26.5	192	38.5	8000
H-0202-0020	3/4"	33.5	220	66	13000

# RIGGING HARDWARE

## Terminal

## 接线器

### AISI 304/316 STAINLESS STEEL WELDED FORK TERMINAL



Code	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	L2 mm	L1 mm	Kg/100	B.L.KG.
H-0301-0002	2	5.5	4	8	2.2	5.5	24	55	2.4	500
H-0301-0025	2.5	6.5	5	10	2.7	5.5	24	55	2.4	500
H-B0301-0003	3	8	5	10	3.3	6.35	28	55	2.5	800
H-0301-0003	3	7.5	6	10	3.3	6.35	32	65	3	1300
H-B0301-0032	3.2	7.5	5	9	3.5	6.35	38	65	2	800
H-B0301-0004	4	9	6	10	4.3	7.5	37	65	4	1300
H-0301-0004	4	11	8	11	4.3	7.5	40	77	4.7	2350
H-B0301-0005	5	10	8	12	5.3	9	42	70	6.5	1300
H-0301-0005	5	12	9	14	5.3	9	57	88	7.4	2350
H-B0301-0006	6	12	10	14	6.3	12.6	51	85	13.5	2350
H-0301-0006	6	14	12	20	6.4	12.6	63	106	16	4700
H-0301-0007	7	15	12	22	7.4	14.2	70	116	18	5100
H-0301-0008	8	17	16	26	8.4	16	85	145	40	7600
H-0301-0010	10	20	19	30	10.5	18	90	150	49	9800
H-0301-0012	12	23	19	35	12.6	20	105	195	64	13000
H-0301-0014	14	30	22	46.5	14.7	25	140	232	117	17000
H-0301-0016	16	30	25	49	16.9	28	160	264	154	24000
H-0301-0019	19	34	28	54	20	34.5	323	200	412	27000
H-0301-0022	22	40	32	62	23.2	40.5	350	230	570	31000
H-0301-0026	26	44	36	70	27.5	46	430	280	710	43000

### AISI 304/316 STAINLESS STEEL FORK TERMINAL




Code	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	L1 mm	L mm	Kg/100	B.L. KG.
H-A0302-0003	3	7.5	6	10	3.3	6.5	39	73	4	1300
H-A0302-0004	4	11	8	11	4.3	7.5	45	86	7.3	2350
H-A0302-0005	5	12	9	14	5.3	9	52	100	11	2350
H-A0302-0006	6	14	12	20	6.4	12.5	64	128	23	4700
H-A0302-0007	7	15	12	22	7.4	14.2	70	135	32	5100
H-A0302-0008	8	17	16	26	8.4	16	80	155	50	7600
H-A0302-0010	10	20	19	30	10.5	18	90	174	92	9800
H-A0302-0012	12	20	19	30	12.6	20	105	197	100	13000
H-A0302-0014	14	22	22	35	14.7	25	140	239	170	17000
H-A0302-0016	16	25	25	38	16.9	28	160	271	210	24000
H-A0302-0019	19	30	28	41	20	34.5	200	327	330	27000
H-A0302-0022	22	35	32	52	23.2	40.5	230	377	480	31000
H-A0302-0026	26	35	35	52	27.5	46	280	434	700	43000

### AISI 304/316 STAINLESS STEEL FORK TERMINA




Code	Wire mm	A mm	D mm	H mm	D2 mm	D3 mm	L2 mm	L1 mm	Kg/100	B.L. KG.
H-B0302-0004	4	8	8	11	7.5	4.4	82	45	7.3	2350
H-B0302-0005	5	10	9	15	9	5.4	95	55	11	2350
H-B0302-0006	6	12	12	20	12.5	6.4	115	65	23	4700
H-B0302-0008	8	14	16	21	16	8.4	148	90	50	7600
H-B0302-0010	10	16	16	23	17.8	10.4	174	110	112	9800
H-B0302-0012	12	18	18	28	21.4	13.6	219	150	285	13000

### AISI 304/316 STAINLESS STEEL THREAD TERMINAL RIGHT/LEFT THREAD



Code	SizeM	Wiremm	Dmm	D1mm	L3mm	L2mm	L1mm	NVmm	KG/100	B.L.KG.
H-0401-0402	M4	2	2.2	4.8	24	38	73	3	0.6	50
H-0401-0502	M5	2	2.2	5.5	32	40	86	4	1.3	800
H-0401-0525	M5	2.5	2.7	5.5	32	40	86	4	1.3	800
H-0401-0532	M5	3.2	3.5	6.35	38	40	90	5	1.6	800
H-0401-0603	M6	3	3.3	6.35	39	48	100	5	2	1250
H-0401-0632	M6	3.2	3.5	6.35	39	48	100	5	2	1250
H-0401-0604	M6	4	4.3	7.5	45	48	110	6	2.5	1250
H-0401-0804	M8	4	4.3	7.5	45	57	117	6	3.8	2350
H-0401-0805	M8	5	5.3	9	52	57	124	7	4.6	2350
H-0401-1005	M10	5	5.3	9	52	63	130	7	6.5	3500
H-0401-1006	M10	6	6.4	12.6	64	63	145	10	10.3	3500
H-0401-1206	M12	6	6.4	12.6	64	80	162	10	13.5	5100
H-0401-1208	M12	8	8.4	16	80	80	180	14	19	5100
H-0401-1407	M14	7	7.4	14.2	70	90	180	12	20	5900
H-0401-1608	M16	8	8.4	16	80	100	200	14	28	8000
H-0401-1610	M16	10	10.5	18	90	100	210	15	32	8000
H-0401-2010	M20	10	10.5	18	90	119	230	15	46	13000
H-0401-2012	M20	12	12.6	20	105	120	245	17	51	13000
H-0401-2214	M22	14	14.7	25	140	140	308	23	87	17000
H-0401-2416	M24	16	16.9	28	160	170	363	25	125	23000
H-0401-2719	M27	19	20	34.5	200	180	425	30	209	25500
H-0401-3022	M30	22	23.2	40.5	230	200	480	36	314	31000
H-0401-3626	M36	26	27.5	46	280	220	550	41	470	43000

### AISI 304/316 STAINLESS STEEL THREAD FORK WELDED RIGHT/LEFT THREAD



Code	SizeM	A mm	D mm	H mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-A0402-0004	M4	5.5	4	8	38	52	1.4	500
H-A0402-0005	M5	6.5	5	10	42	65	2	800
H-A0402-0006	M6	7.5	6	10	48	72	3	1300
H-A0402-0008	M8	11	8	11	56	86	5	2350
H-A0402-0010	M10	12	9	14	63	96	9	3500
H-A0402-0012	M12	14	12	20	80	122	18	5100
H-A0402-0014	M14	15	12	22	90	126	21.5	5100
H-A0402-0016	M16	17	16	26	100	155	40	8000
H-A0402-0020	M20	20	19	30	119	175	65	13000


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL THREAD FORK WELDED RIGHT/LEFT THREAD (SPECIAL SIZE)




Code	SizeM	A mm	D mm	H mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-B0402-0005	M5	8	5	10	20	40	1.7	800
H-B0402-0006	M6	9	6	10	25	47	2.2	1300
H-B0402-0008	M8	10	8	12	25	52	4	2350
H-B0402-0010	M10	12	10	14	45	72	7.5	3500

## AISI 304/316 STAINLESS STEEL FORK MACHINED RIGHT/LEFT THREAD




Code	SizeM	A mm	D mm	H mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0403-0004	M4	5.5	4	8	38	55	1.4	500
H-0403-0005	M5	6.5	5	10	42	67	2	800
H-0403-0006	M6	7.5	6	10	48	80	3.8	1300
H-0403-0008	M8	11	8	11	56	90	8	2350
H-0403-0010	M10	12	9	14	63	105	12.2	3500
H-0403-0012	M12	14	12	20	80	135	24	5100
H-0403-0014	M14	15	12	22	90	147	28	5100
H-0403-0016	M16	17	16	26	100	170	55.5	8000
H-0403-0020	M20	20	19	30	119	182	128	13000

## AISI 304/316 STAINLESS STEEL THREAD EYE RIGHT/LEFT THREAD




Code	SizeM	A mm	B mm	D mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0404-0005	M5	3	12	5.5	42	63	2.5	800
H-0404-0006	M6	4	14	6.5	48	65	3.2	1250
H-0404-0008	M8	5	17	8.5	56	78	6.8	2350
H-0404-0010	M10	6	22	10.5	63	90	8.2	3500
H-0404-0012	M12	8	25	13	80	110	10	5100
H-0404-0014	M14	9	28	13	90	124	18.7	5900
H-0404-0016	M16	10	31	14.5	100	133	23.7	8000
H-0404-0020	M20	15	40	19.5	119	164	40.6	13000

## AISI 304/316 STAINLESS STEEL THREAD TOGGLE RIGHT/LEFT THREAD - T STYLE



Code	SizeM	A mm	D mm	H mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-A0405-0006	M6	7	6	15	48	80	3.4	1300
H-A0405-0008	M8	10	8	20	56	96	6.6	2350
H-A0405-0010	M10	12	9	25	67	115	13.3	3500
H-A0405-0012	M12	13	12	30	81	140	24.3	5400
H-A0405-0016	M16	17	16	40	103	175	49.5	8000
H-A0405-0020	M20	20	19	45	115	190	79.5	13000

## AISI 304/316 STAINLESS STEEL THREAD TOGGLE RIGHT/LEFT THREAD - EYE STYLE



Code	SizeM	A mm	D mm	H mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-B0405-0006	M6	8	6	13	48	88	5	1300
H-B0405-0008	M8	10	8	16	56	105	8	2350
H-B0405-0010	M10	12	9	20	67	128	15	3500
H-B0405-0012	M12	18	12	25	81	154	30.5	5400
H-B0405-0016	M16	17	16	29	103	199	63	8000
H-B0405-0020	M20	20	19	30	115	230	111	13000

## AISI 304/316 STAINLESS STEEL EYE TERMINAL



Code	Wire mm	A mm	B mm	D mm	D1 mm	D2 mm	L1 mm	L mm	Kg/100	B.L.KG.
H-0303-0002	2	3	13	5.4	2.2	5.5	30	48.5	0.9	800
H-0303-0025	2.5	3	13	5.4	2.7	5.5	30	48.5	0.9	800
H-0303-0003	3	4	14	6.5	3.3	6.35	36	55	1.5	1300
H-0303-0004	4	6	18	8.5	4.3	7.5	39	65	2.5	2350
H-0303-0005	5	7	22	10	5.3	9	50	80	4.5	3500
H-0303-0006	6	8	28	12.5	6.4	12.6	62	94	9.5	5600
H-0303-0007	7	9	28	12.5	7.4	14.2	68	105	12.5	6200
H-0303-0008	8	10	32	14.5	8.4	16	85	124	18.2	7600
H-0303-0010	10	12	36	16.4	10.5	18	90	142	25.2	9800
H-0303-0012	12	16	40	19.3	12.6	20	105	160	42.5	13000
H-0303-0014	14	18	47	23	14.7	25	140	206	75.5	17000
H-0303-0016	16	20	53	26	16.9	28	160	232	102	24000
H-0303-0019	19	25	65	28.5	20	34.5	200	302	209	27000
H-0303-0022	22	30	70	33	23.2	40.5	230	348	314	31000
H-0303-0026	26	30	77	36	27.5	46	280	400	425	43000

# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL TOGGLE TERMINAL ---T TOGGLE STYLE




Code	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	L1 mm	L mm	Kg/100	B.L. KG.
H-A0304-0003	3	7	6	15	3.3	6.35	38	75	3.5	1300
H-A0304-0004	4	10	8	20	4.3	7.5	45	89	6.5	2350
H-A0304-0005	5	12	9	25	5.3	9	51	104	11.8	3500
H-A0304-0006	6	13	12	30	6.4	12.6	64	127	27	4100
H-A0304-0008	8	17	16	40	8.4	16	76	163	37.5	6200
H-A0304-0010	10	20	19	45	10.5	18	89	184	64.5	9800

## AISI 304/316 STAINLESS STEEL TOGGLE TERMINAL ---EYE TOGGLE STYLE



Code	Wire mm	A mm	D mm	H mm	D1 mm	D2 mm	L1 mm	L mm	Kg/100	B.L. KG.
H-B0304-0003	3	8	6	13	3.3	6.35	36	81	3.4	1300
H-B0304-0004	4	10	8	16	4.3	7.5	39	94	6.4	2350
H-B0304-0005	5	12	9	20	5.3	9	50	116	13.8	3500
H-B0304-0006	6	18	12	25	6.4	12.6	62	135	27.3	4100
H-B0304-0007	7	18	12	25	7.4	14.2	68	157	35.5	6200
H-B0304-0008	8	17	16	29	8.4	16	85	170	37.5	6200
H-B0304-0010	10	20	19	30	10.5	18	90	192	64.5	9800
H-B0304-0012	12	26	22	35	12.6	20	105	240	103	13000
H-B0304-0014	14	26	22	35	14.7	25	140	277	170	17000
H-B0304-0016	16	29	25	40	16.9	28	160	313	265	24000
H-B0304-0019	19	34	28	46	20	34.5	200	399	570	25500
H-B0304-0022	22	40	32	54	23.2	40.5	230	463	612	31000
H-B0304-0026	26	44	36	62	27.5	46	280	518	750	43000

## AISI 304/316 STAINLESS STEEL BUTTON HEAD TERMINAL SWAGE



Code	Wiremm	Dmm	D1mm	D2mm	L2mm	L1mm	Lmm	KG/100
H-0305-0003	3	8	5.5	3.5	25	32	35	0.5
H-0305-0004	4	10	6.4	4.4	25	32	35	0.7
H-0305-0005	5	11.5	7.5	5.3	30	37	41	1
H-0305-0006	6	14	9	6.5	40	47	52	2

## AISI 304/316 STAINLESS STEEL CONE HEAD TERMINAL




Code	Wire mm	D mm	D1 mm	D2 mm	L2 mm	L1 mm	L mm	KG/100
H-0306-0003	3	8	5.5	3.5	25	32	35	0.5
H-0306-0004	4	10	6.4	4.4	25	32	35	0.7
H-0306-0005	5	11.5	7.5	5.3	30	38	41	1
H-0306-0006	6	14	9	6.5	40	48	52	2

**Clip**


**卡头**

## AISI 304/316 STAINLESS STEEL DIN741 WIRE ROPE CLIP



Code	Rope(mm)	A (mm)	D1(mm)	L(mm)	H(mm)
H-0705-0002	2	16	M3	10	9
H-0705-0003	3	21	M4	12	10
H-0705-0004	4	22	M4	12	10
H-0705-0005	5	23	M5	13	10
H-0705-0006	6	26	M5	15	11
H-0705-0008	8	30	M6	19	15
H-0705-0010	10	34	M8	22	17
H-0705-0012	12	40	M10	30	21
H-0705-0016	16	50	M12	33	26
H-0705-0019	19	54	M12	38	30
H-0705-0022	22	61	M14	44	34
H-0705-0025	25	65	M14	45	37


## AISI 304/316 STAINLESS STEEL US TYPE WIRE ROPE CLIP



Code	Wire	A (mm)	D1(mm)	L(mm)	Weight(kg)
H-0706-0003	1/8"	0.94"	0.22"	0.44"	0.027
H-0706-0005	3/16"	1.16"	0.25"	0.56"	0.05
H-0706-0006	1/4"	1.44"	0.31"	0.86"	0.085
H-0706-0008	5/16"	1.69"	0.38"	0.75"	0.14
H-0706-0010	3/8"	1.94"	0.44"	0.75"	0.215
H-0706-0012	1/2"	2.28"	0.50"	1.00"	0.35
H-0706-0016	5/8"	2.50"	0.56"	1.25"	0.48
H-0706-0019	3/4"	2.84"	0.62"	1.44"	0.7
H-0706-0025	1"	3.47"	0.75"	1.81"	1.16


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL SIMPLEX WIRE ROPE CLIP




Code	Rope(mm)	D1 (mm)	B(mm)	H(mm)	L(mm)	Weight(kg)
H-0707-0002	2	M4	12	14	15	0.005
H-0707-0003	3	M4	14	14	18	0.006
H-0707-0004	4	M5	18	17	20	0.011
H-0707-0005	5	M5	20	17	25	0.015
H-0707-0006	6	M6	24	23	30	0.028
H-0707-0008	8	M8	30	27	36	0.05
H-0707-0010	10	M10	35	32	45	0.075

## AISI 304/316 STAINLESS STEEL G411 US TYPE THIMBLE




Code	Size inch	A inch	B inch	L inch	S inch	Weight(kg/100)
H-0710-0003	1/8"	0.16"	0.69"	1.31"	0.05"	0.7
H-0710-0005	3/16"	0.22"	0.69"	1.31"	0.05"	0.8
H-0710-0006	1/4"	0.28"	0.69"	1.31"	0.05"	0.9
H-0710-0008	5/16"	0.34"	0.81"	1.50"	0.05"	1.2
H-0710-0010	3/8"	0.41"	0.94"	1.63"	0.06"	1.5
H-0710-0012	1/2"	0.53"	1.13"	1.88"	0.08"	7
H-0710-0016	5/8"	0.66"	1.38"	2.25"	0.13"	20
H-0710-0019	3/4"	0.78"	1.63"	2.50"	0.14"	25
H-0710-0022	7/8"	0.94"	1.88"	3.50"	0.16"	47
H-0710-0025	1"	1.06"	2.50"	4.25"	0.16"	57
H-0710-0028	1-1/8"	1.31"	2.75"	4.50"	0.22"	109

## AISI 304/316 STAINLESS STEEL DUPLEX WIRE ROPE CLIP



Code	Wire(mm)	D1 (mm)	B(mm)	H(mm)	L(mm)	Weight(kg)
H-0708-0002	2	M4	12	14	30	0.01
H-0708-0003	3	M4	14	14	36	0.012
H-0708-0004	4	M5	18	17	40	0.022
H-0708-0005	5	M5	20	17	50	0.03
H-0708-0006	6	M6	24	23	60	0.056
H-0708-0008	8	M8	30	27	72	1
H-0708-0010	10	M10	35	32	90	0.15


## AISI 304/316 STAINLESS STEEL G414 US TYPE THIMBLE



Code	Size inch	A inch	B inch	L inch	S inch	Weight(kg/100)
H-0711-0003	3/16"	0.21	0.75	1.37	0.06	2.6
H-0711-0005	1/4"	0.28	0.87	1.62	0.07	3
H-0711-0006	5/16"	0.34	1.06	1.87	0.08	5.2
H-0711-0008	3/8"	0.43	1.12	2	0.11	10.1
H-0711-0010	7/16"	0.47	1.25	2.38	0.12	15
H-0711-0012	1/2"	0.56	1.5	2.5	0.15	22.6
H-0711-0014	9/16"	0.59	1.5	2.5	0.15	23
H-0711-0016	5/8"	0.68	1.75	3	0.18	33.8
H-0711-0019	3/4"	0.81	2	3.75	0.22	80
H-0711-0022	7/8"	0.93	2.25	4	0.22	105
H-0711-0025	1"	1.12	2.5	4.37	0.25	134

## Thimble 套环


## AISI 304/316 STAINLESS STEEL EUROPEAN TYPE THIMBLE



Code	Size(mm)	A (mm)	B(mm)	L(mm)	S(mm)	Weight(kg/100)
H-0709-0002	2	2	7	10	1	0.2
H-0709-0025	2.5	2.5	8	14	1	0.2
H-0709-0003	3	3	10	17	1	0.4
H-0709-0004	4	4	11	18	1	0.5
H-0709-0005	5	5.5	13	20	1.2	0.7
H-0709-0006	6	6.5	15	25	1.2	1
H-0709-0008	8	9	18	33	1.5	1.8
H-0709-0010	10	11	23	41	2	3.8
H-0709-0012	12	14	27	48	2	5
H-0709-0014	14	15	34	53	2.5	10
H-0709-0016	16	17	36	57	3	12.5
H-0709-0018	18	19	40	67	3	16
H-0709-0020	20	22	45	75	4	26.5
H-0709-0022	22	24	52	84	4	32.5
H-0709-0024	24	26	56	96	5	46
H-0709-0028	28	30	65	115	6	80
H-0709-0032	32	34	82	144	6	105
H-0709-0036	36	40	94	170	6	142

## Snap Hook 弹簧钩

## AISI 304/316 STAINLESS STEEL CAST SNAP HOOK



Code	Size(mm)
H-1114-0050	50
H-1114-0070	70
H-1114-0100	100

# RIGGING HARDWARE

## SNAP SHACKLE FOR SHEET



Code	Length mm	Working Load kg
H1870	120	1400
H1872	145	1980

## SNAP SHACKLE FOR SHEET



Code	Length mm	Working Load kg
H1876	85	1500
H1878	105	2500
H1879	127	3500

## SNAP SHACKLE FOR SHEET



Code	Size
H1885	1/4"
H1886	5/16"
H1887	3/8"

## AUTOMATIC SNAP HOOKS FOR WATER SKING



Code	Length mm
H1910	59

## SWIVEL SNAP SHACKLES



Code	Length mm
H1889	52
H1890	66
H1891	96

## SWIVEL BOLT SNAP



Code	Size
H15531	14.5mm
H15532	21mm
H15533	23mm
H15534	28mm

## SWIVEL BOLT SNAP



Code	Size
H15521	11mm
H15522	13mm
H15523	16mm
H15524	19mm
H15525	25mm

## SNAP HOOKS



Code	Wire mm	Length mm
H15551	6	60
H15552	8	80
H15553	10	100
H15554	12	120

## QUICK LINK



Code	Size	Code	Size
H16651	3.5mm	H16656	8mm
H16652	4mm	H16657	9mm
H16653	5mm	H16658	10mm
H16654	6mm	H16659	11mm
H16655	7mm	H16660	12mm

## SNAP HOOKS



Code	mm	Code	mm
H00104	4x40	H00109	9x90
H00105	5x50	H00110	10x100
H00106	6x60	H00111	11x120
H00107	7x70	H00112	12x140
H00108	8x80	H00113	13x160


## SNAP HOOKS WITH EYE



Code	mm	Code	mm
H00204	4x40	H00204	9x90
H00205	5x50	H00205	10x100
H00206	6x60	H00206	11x120
H00207	7x70	H00207	12x140
H00208	8x80	H00208	13x160


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL FIXED SNAP SHACKLE




Code	Size(inch)	A(inch)	B(inch)	C(inch)	WLL(lbs)
H-1115-0002	2"	2"	0.42"	0.56"	1000
H-1115-0258	2-5/8"	2-5/8"	0.51"	0.75"	1500
H-1115-0334	3-3/4"	3-3/4"	0.68"	1.10"	2000

## AISI 304/316 STAINLESS STEEL JAW SWIVEL SNAP SHACKLE



Code	Size(inch)	A(inch)	B(inch)	C(inch)	WLL(lbs)
H-1116-0234	2-3/4"	2-3/4"	0.57"	0.54"	1000
H-1116-0312	3-1/2"	3-1/2"	0.75"	0.52"	1500
H-1116-0500	5"	5"	1.05"	0.75"	2000

## AISI 304/316 STAINLESS STEEL EYE SWIVEL SNAP SHACKLE



Code	Size(inch)	A(inch)	B(inch)	C(inch)	WLL(lbs)
H-1117-0234	2-3/4"	2-3/4"	0.50"	0.57"	1000
H-1117-0312	3-1/2"	3-1/2"	0.62"	0.75"	1500
H-1117-0500	5"	5"	0.85"	1.05"	2000

## Eye Plate


## 眼盘

### AISI 304/316 STAINLESS STEEL EYE PLATE




Code	D(mm)	L1(mm)	L2(mm)	H(mm)	h(mm)	d(mm)
H60104	4	40	32	16	11	3.2
H60105	5	50	40	16	13	4.2
H60106	6	57	44	22	15	5.2
H60108	8	63	47	25	17	5.2

## AISI 304/316 STAINLESS STEEL SQUARE EYE PLATE



Code	Size(mm)	A(mm)	B(mm)	L(mm)	d(mm)
TFR-1002-0005	5	14	30	35	5
H-1002-0006	6	18	35	40	6
H-1002-0008	8	20	40	50	8

## AISI 304/316 STAINLESS STEEL SQUARE EYE PLATE WITH RING




Code	Size(mm)	A(mm)	B(mm)	L(mm)	d(mm)	D(mm)	Φ(mm)
H-1003-0005	5	14	30	35	5	5	30
H-1003-0006	6	18	35	40	6	6	35
H-1003-0008	8	20	40	50	8	8	45

## AISI 304/316 STAINLESS STEEL ROUND EYE PLATE



Code	Size(mm)	A(mm)	B(mm)	d(mm)
H-1004-0005	5	12	33	5
H-1004-0006	6	17	40	6
H-1004-0008	8	20	50	8

## AISI 304/316 STAINLESS STEEL ROUND EYE PLATE WITH RING



Code	Size(mm)	A(mm)	B(mm)	d(mm)	D(mm)	Φ(mm)
H-1005-0005	5	12	33	5	5	30
H-1005-0006	6	17	40	6	6	40
H-1005-0008	8	20	50	8	8	50

# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL OBLONG EYE PLATE



Code	Size(mm)	A(mm)	B(mm)	L(mm)	d(mm)
H-1006-0005	5	16	15	54	5
H-1006-0006	6	19	20	65	6
H-1006-0008	8	25	26	81	8
H-1006-0009	9	32	32	100	9

## AISI 304/316 STAINLESS STEEL OBLONG EYE PLATE WITH RING



Code	Size(mm)	A(mm)	B(mm)	L(mm)	d(mm)	D(mm)	Φ(mm)
H-1007-0005	5	16	15	54	5	5	30
H-1007-0006	6	19	20	65	6	6	40
H-1007-0008	8	25	26	81	8	8	50
H-1007-0009	9	32	32	100	9	9	60

## AISI 304/316 STAINLESS STEEL DIAMOND EYE PLATE



Code	Size(mm)
H-1008-0005	5
H-1008-0006	6
H-1008-0008	8

## AISI 304/316 STAINLESS STEEL DIAMOND EYE PLATE WITH RING



Code	Size(mm)
H-1009-0005	5
H-1009-0006	6
H-1009-0008	8

## AISI 304/316 STAINLESS STEEL HOOK PLATE



Code	Size(mm)
H-1010-0005	5
H-1010-0006	6
H-1010-0008	8

## Ring

## 不锈钢环

### AISI 304/316 STAINLESS STEEL ROUND RING



Code	Size(mm)	Code	B(mm)
H-1011-0325	3x25	TFR-1011-0640	6x40
H-1011-0425	4x25	TFR-1011-0650	6x50
H-1011-0430	4x30	TFR-1011-0660	6x60
H-1011-0440	4x40	TFR-1011-0735	7x35
H-1011-0530	5x30	TFR-1011-0840	8x40
H-1011-0540	5x40	TFR-1011-0850	8x50
H-1011-0550	5x50	TFR-1011-1050	10x50
H-1011-0630	6x30	TFR-1011-1070	10x70

### AISI 304/316 STAINLESS STEEL ROUND RING WITH CROSS BAR



Code	Size(mm)	Code	B(mm)
H-1012-0630	6x30	TFR-1012-1060	10x60
H-1012-0640	6x40	TFR-1012-1070	10x70
H-1012-0840	8x40	TFR-1012-1080	10x80
H-1012-0850	8x50	TFR-1012-1250	12x50
H-1012-0960	9x60	TFR-1012-1265	12x65
H-1012-1050	10x50	TFR-1012-1280	12x80

### AISI 304/316 STAINLESS STEEL D RING



Code	Size(mm)
H-1013-0425	4x25
H-1013-0430	4x30
H-1013-0440	4x40
H-1013-0540	5x40
H-1013-0550	5x50
H-1013-0640	6x40
H-1013-0650	6x50
H-1013-0660	6x60
H-1013-0745	7x45
H-1013-0840	8x40
H-1013-0850	8x50



# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL D RING WITH CROSS BAR



Code	Size(mm)
H-1014-0545	5x45
H-1014-0550	5x50
H-1014-0645	6x45
H-1014-0650	6x50
H-1014-0845	8x45
H-1014-0850	8x50

## AISI 304/316 STAINLESS STEEL DELTA RING



Code	Size(mm)
H-1015-0540	5x40
H-1015-0650	6x50
H-1015-0850	8x50

## AISI 304/316 STAINLESS STEEL TRIANGLE RING WITH CROSS BAR



Code	Size(mm)
H-1016-0545	5x45
H-1016-0550	5x50
H-1016-0645	6x45
H-1016-0650	6x50
H-1016-0845	8x45
H-1016-0850	8x50
H-1016-0860	8x60


## AISI 304/316 STAINLESS STEEL SQUARE RING



Code	Size(mm)	Inside length	Inside Width
H-1017-0520	5	20mm	12mm
H-1017-0525	5	25mm	15mm
H-1017-0530	5	30mm	18mm
H-1017-0540	5	40mm	20mm
H-1017-0650	6	50mm	25mm
H-1017-0747	7	47mm	38mm
H-1017-0865	8	65mm	30mm


## "U" Bolts U型栓

### AISI 304/316 STAINLESS STEEL "U" BOLTS



Code	SizeM	A mm	D mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0601-04062	M4	30	5	30	62	3.5	750
H-0601-05078	M5	36	6	48	78	4.8	900
H-0601-06080	M6	36	8	42	80	7.4	1250
H-0601-06090	M6	36	8	42	90	8.2	1250
H-0601-08080	M8	35	10	40	80	11	1750
H-0601-08100	M8	45	10	52	100	13	1750
H-0601-10090	M10	50	12	35	90	20	3500
H-0601-10110	M10	50	12	55	110	22	3500
H-0601-10135	M10	50	12	80	135	24	3500
H-0601-12130	M12	60	14	65	130	36	5100
H-0601-12150	M12	60	14	85	150	38	5100


### AISI 304/316 STAINLESS STEEL "U" BOLTS WITH SECURITY PROTECTION



Code	SizeM	A mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0602-04064	M4	30	30	64	2.3	750
H-0602-05080	M5	35	40	80	3.3	900
H-0602-06080	M6	35	40	80	5	1250
H-0602-06090	M6	35	40	90	5.5	1250
H-0602-08060	M8	35	25	60	7	1750
H-0602-08070	M8	35	35	70	7.5	1750
H-0602-08080	M8	35	40	80	8	1750
H-0602-08090	M8	35	50	90	9	1750
H-0602-08100	M8	35	50	100	10	1750
H-0602-08110	M8	35	70	110	11	1750
H-0602-10090	M10	50	40	90	15	3500
H-0602-10130	M10	50	55	130	21	3500
H-0602-12150	M12	60	65	150	35	5100


# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL SECURITY "U" BOLTS




Code	Size M	A mm	D mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0603-08100	M8	40	10	60	100	15	1750
H-0603-10100	M10	40	12	48	100	22	3500
H-0603-12120	M12	50	14	58	120	38	5100

## AISI 304/316 STAINLESS STEEL "U" BOLTS WITH STRONG WASHER



Code	Size M	A mm	D mm	L1 mm	L mm	KG/100 mm	B.L.KG.
H-0604-08100	M8	48	22	105	150	20	1750
H-0604-10100	M10	60	30	140	200	28	3500


## AISI 304/316 STAINLESS STEEL V BOLT



Code	Gmm	L1 mm	L2 mm	L3 mm	L4 mm	Angle	B mm	D mm
H-0605-A8100	M8	100	50	40	45	0	33	8
H-0605-B8100	M8	100	50	40	45	8	33	8
H-0605-C8100	M8	100	50	40	45	18	33	8
H-0605-A10120	M10	120	60	48	55	0	40	10
H-0605-B10120	M10	120	60	48	55	8	40	10
H-0605-C10120	M10	120	60	48	55	18	40	10


## Eye Nut & Bolt 吊环螺母和螺栓

### AISI 316 STAINLESS STEEL DIN580 EYE BOLT




Code	Size(mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
H-0606-0006	6	6	28	16	13	13
H-0606-0008	8	8	36	20	20	13
H-0606-0010	10	10	45	25	25	17
H-0606-0012	12	12	53	30	30	21
H-0606-0016	16	16	62	35	35	27
H-0606-0020	20	20	71	40	40	30
H-0606-0024	24	24	90	50	50	36
H-0606-0030	30	30	109	60	65	45

### AISI 304/316 STAINLESS STEEL DIN582 EYE NUT



Code	Size(mm)	A (mm)	B (mm)	C (mm)	D (mm)
H-0607-0006	6	6	28	16	13
H-0607-0008	8	8	36	20	20
H-0607-0010	10	10	45	25	25
H-0607-0012	12	12	53	30	30
H-0607-0016	16	16	62	35	35
H-0607-0020	20	20	71	40	40
H-0607-0024	24	24	90	50	50
H-0607-0030	30	30	109	60	65


### AISI 304/316 STAINLESS STEEL JIS1168 EYE BOLT



Code	Size(mm)	A (mm)	B (mm)	C (mm)	D (mm)	E (mm)
H-0608-0006	6	6	30	16	13	13
H-0608-0008	8	8	39.3	20	16	13
H-0608-0010	10	10	48.5	25	20	17
H-0608-0012	12	12	61	30	25	21
H-0608-0016	16	16	72	35	30	27
H-0608-0020	20	20	86	40	35	30
H-0608-0024	24	24	111	50	45	36

# RIGGING HARDWARE

## AISI 304/316 STAINLESS STEEL JIS1169 EYE NUT



Code	Size(mm)	A (mm)	B (mm)	C (mm)	D (mm)
H-0609-0006	M6	6	30	16	13
H-0609-0008	M8	8	39.3	20	16
H-0609-0010	M10	10	48.5	25	20
H-0609-0012	M12	12	61	30	25
H-0609-0016	M16	16	72	35	30
H-0609-0020	M20	20	86	40	35
H-0609-0024	M24	24	111	50	45

## AISI 304/316 STAINLESS STEEL G277 US TYPE SHOULDER BOLT



Code	Size Inch	Code	Size inch
H-0610-A006	1/4"x2"	TFR-0610-B012	1/2"x6"
H-0610-B006	1/4"x4"	TFR-0610-0016	5/8"x4"
H-0610-A008	5/16"x2-1/4"	TFR-0610-A019	3/4"x4-1/2"
H-0610-B008	5/16"x4-1/4"	TFR-0610-B019	3/4"x6"
H-0610-A010	3/8"x2-1/2"	TFR-0610-A022	7/8"x5"
H-0610-B010	3/8"x4-1/2"	TFR-0610-B022	7/8"x8"
H-0610-A012	1/2"x3-1/4"	TFR-0610-0025	1"x9"

## AISI 304/316 STAINLESS STEEL US TYPE REGULAR BOLT



Code	Size inch	Code	Size inch
H-0611-A006	1/4"x2"	TFR-0611-B012	1/2"x6"
H-0611-B006	1/4"x4"	TFR-0611-0016	5/8"x4"
H-0611-A008	5/16"x2-1/4"	TFR-0611-A019	3/4"x4-1/2"
H-0611-B008	5/16"x4-1/4"	TFR-0611-B019	3/4"x6"
H-0611-A010	3/8"x2-1/2"	TFR-0611-A022	7/8"x5"
H-0611-B010	3/8"x4-1/2"	TFR-0611-B022	7/8"x8"
H-0611-A012	1/2"x3-1/4"	TFR-0611-0025	1"x9"

## Outboard Engine Hardware

### 舷外机五金

#### PROPELLER FOR 40-50HP YAMAHA OUTBOARD ENGINE



Code	Diameter mm	Pitch	Material
TFYHX10	282	14"	Stainless Steel

#### PROPELLER FOR 60-85HP YAMAHA OUTBOARD ENGINE



Code	Diameter mm	Pitch	Material
TFYHX11	342	15"	Stainless Steel

#### PROPELLER FOR 115HP YAMAHA OUTBOARD ENGINE



Code	Diameter mm	Pitch	Material	Shaft Sleeve
TFYHX12	330	17"	Stainless Steel	K

#### PROPELLER FOR 150-250HP YAMAHA OUTBOARD ENGINE



Code	Diameter mm	Pitch	Material	Shaft Sleeve
TFYHX13	350	17"	Stainless Steel	M2

# RIGGING HARDWARE

## Hose Clamp

## 喉箍

### MINI AMERICAN TYPE WORM DRIVE HOSE CLAMP



Code	SAE Code	Band Size mm	Size mm	Size Inch
HC0101	4	8	6-16	1/4"-5/8"
HC0102	6	8	8-22	5/16"-7/8"
HC0103	8	8	11-25	7/16"-1"
HC0104	10	8	14-27	9/16"-1-1/16"
HC0105	12	8	17-32	11/16"-1-1/4"
HC0106	16	8	21-38	13/16"-1-1/2"
HC0107	20	8	21-44	13/16"-1-3/4"
HC0108	24	8	27-51	1-1/16"-2"
HC0109	28	8	33-57	1-5/16"-2-1/4"
HC0110	32	8	40-63	1-9/16"-2-1/2"
HC0111	36	8	46-70	1-13/16"-2-3/4"
HC0112	40	8	52-76	2-1/16"-3"
HC0113	44	8	59-82	2-5/16"-3-1/4"
HC0114	48	8	65-89	2-9/16"-3-1/2"

### AMERICAN TYPE WORM DRIVE HOSE CLAMP



Code	SAE Code	Band Size mm	Size mm	Size Inch
HC0201	6	12.7	11-20	3/8"-7/8"
HC0202	8	12.7	13-23	7/16"-1"
HC0203	10	12.7	14-27	9/16"-1-1/16"
HC0204	12	12.7	18-32	11/16"-1-1/4"
HC0205	16	12.7	21-38	13/16"-1-1/2"
HC0206	20	12.7	21-44	13/16"-1-3/4"
HC0207	24	12.7	27-51	1-1/16"-2"
HC0208	28	12.7	33-57	1-5/16"-2-1/4"
HC0209	32	12.7	40-64	1-9/16"-2-1/2"
HC0210	36	12.7	46-70	1-13/16"-2-3/4"
HC0211	40	12.7	52-76	2-1/16"-3"
HC0212	44	12.7	59-83	2-5/16"-3-1/4"
HC0213	48	12.7	65-89	2-9/16"-3-1/2"
HC0214	52	12.7	71-95	2-13/16"-3-3/4"
HC0215	56	12.7	78-102	3-1/16"-4"
HC0216	60	12.7	84-108	3-5/16"-4-1/4"
HC0217	64	12.7	90-114	3-9/16"-4-1/2"
HC0218	72	12.7	103-127	4-1/8"-5"
HC0219	80	12.7	117-140	4-5/8"-5-1/2"
HC0220	88	12.7	130-152	5-1/8"-6"
HC0221	96	12.7	141-165	5-5/8"-6-1/2"
HC0222	104	12.7	157-178	6-1/8"-7"

### GERMANY TYPE HOSE CLAMP



Code	Band Size mm	Size mm
HC0401	12	12-20
HC0402	12	16-27
HC0403	12	20-32
HC0404	12	25-40
HC0405	12	30-45
HC0406	12	35-50
HC0407	12	40-60
HC0408	12	50-70
HC0409	12	60-80
HC0410	12	70-90
HC0411	12	80-100
HC0412	12	90-110
HC0413	12	100-120
HC0414	12	110-130
HC0415	12	120-140
HC0416	12	130-150
HC0417	12	140-160
HC0418	12	150-170
HC0419	12	160-180
HC0420	12	170-190

### EUROPEAN TYPE HOSE CLAMP



Code	Band Size mm	Size mm
HC0501	15.8	25-45
HC0502	15.8	32-54
HC0503	15.8	45-67
HC0504	15.8	54-79
HC0505	15.8	70-92
HC0506	15.8	83-105
HC0507	15.8	95-118
HC0508	15.8	108-130
HC0509	15.8	121-143
HC0510	15.8	133-156
HC0511	15.8	146-168
HC0512	15.8	159-181
HC0513	15.8	172-194
HC0514	15.8	184-206
HC0515	15.8	197-219
HC0516	15.8	210-232